




210 NORTH TUCKER

ST. LOUIS

Strategic Interconnection
from the Core to the Edge



FACILITY OVERVIEW



COLOCATION

- Premier core interconnection site with carrier neutral, building owned and managed Meet-Me-Room (MMR)
- Direct interconnection available to 900 Walnut
- Two (2) diverse points of entry (POEs)
- Pre-built innerduct system from POEs to MMR

ELECTRICAL

- Generator power: 13,000kW
- UPS system: 3,210 kW (N+1)
- DC power distribution available

INFRASTRUCTURE

- Ceiling heights (slab to slab): 11' 1"
- Floor design loading: 50 to 150 lbs/sf
- Loading dock: secure multi-bay dock
- Freight elevators: 10,000 lbs
- Fire suppression: pre-action, dry-pipe
- Cable management: overhead ladder rack
- 24/7 network operations center (NOC)
- Critical facility monitoring system

COOLING

- Condenser water capacity: 2,000 tons
- Chilled water capacity: 800 tons

SECURITY + COMPLIANCE

- Key card access throughout the entire facility
- video surveillance
- 24/7 access to authorized customer personnel via access lists
- Two (2) factor authentication for MMRs

AMENITIES

- Vendor touch-down space for clients
- Tech lounge
- Secure storage space available
- Fitness center
- Secure bicycle parking

SELECT SERVICE PROVIDERS

- Acumen Consulting
- Apcela
- AshCom
- AT&T
- Bluebird Network
- Brown Dog Networks
- Charter Communications
- CIBRN
- CloudFlare
- Cogent
- Comtech NextGen
- Connectria
- Correct Solutions
- Crown Castle
- CTI
- Elite Fiber
- Emergency Callworks
- E-Net
- Everstream
- Fastly
- FD-IX Fiber Data Exchange
- Gateway Fiber
- GTT
- Hamilton County Communications
- HEG
- Hurricane Electric
- Indigital
- InterVision
- ITSolutions
- KCIX
- Lauris Online
- Lumen
- Lumen Cloud Connect
- Madison Communications
- Mediacom
- Megaport
- Meta
- Middle Mile Infrastructure
- MTC Communications
- MULTACOM
- Net Vision Communications
- Netflix
- Netskope
- Nuso
- Nuvodia
- PacketFabric
- Peerless Network
- Rally Networks
- SimpleRose
- SkyFiNet
- SnapCom
- Stackpath
- STL-IX
- Streaming Systems
- Unitas Global
- US Signal
- Verizon
- Vpay
- Windstream
- Zayo
- Zayo Cloudlink

CABINETS + CAGES

- Maximum cabinet height - Data hall segment: 42RU - 48 RU
- Standard cabinet footprint: 24"Wx48"D
- Standard cabinet rails: 19"
- Cabinets with 23" rails available
- Power density per cab (designed): 3-5kW
- Power density per cab (custom build): 12kW
- Maximum cabinet circuit size: 100 Amp 208 Volt 3 Phase (A&B)
- Standard cage height: 8'5"
- Cage card readers
- PCI-Compliant cages available



NETRALITY LOCATIONS



CHICAGO

717 SOUTH WELLS

HOUSTON

1301 FANNIN

KANSAS CITY METRO

1102 GRAND
KC2 – 7801 NIEMAN

PHILADELPHIA

401 NORTH BROAD

ST. LOUIS

210 NORTH TUCKER
900 WALNUT

INDY TELCOM CENTER

701 WEST HENRY
733 WEST HENRY



To learn more about Netrality,
email info@netrality.com or visit
WWW.NETRALITY.COM